Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1764	385/136,137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/07 13:15
L2	35	(clamp\$4 and fiber and tension and deform\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/07 13:17
L3	2	clamp\$4 near5 fiber near5 clad\$4 near5 deform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/07 13:17
S1	6	"3246903".pn. "4848870".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/07 13:15
S2	10	"2583885".pn. "5259174".pn. "5495425".pn. "5530785".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:40
S3	1218	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:28
S4	1	S3 and clad\$5 near5 deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:50
S5	2	fiber same clamp\$3 same clad\$5 near5 deformable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:44
S6	3	S3 and clad\$5 near5 deform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43

S7	4	fiber same clamp\$3 same clad\$5 near5 deform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:44
S13	3	S3 and clad\$5 near5 stress\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:56
S14	1079	clad\$5 near5 deform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:57
S15	207	S14 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:57
S16	25	clad\$5 near5 deform\$5 same clamp\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:58
S17	4	S16 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:59
S18	79561	clamp\$5 same jaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:09
S19	14	S3 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:59
S20	1612	clamp\$5 same jaw near5 taper\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:11
S22	1	clamp\$5 same jaw near5 taper\$3 same clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:11

S24	0	S20 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:12
S25	159	S18 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:12
S26	3	S3 and clamp\$3 near5 taper\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:40
S27	1	clamp\$3 near5 partial\$2 near3 (contact\$3 touch\$3) near5 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:19
S28	2	"20050232568"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:44
S29	2254	polarization adj maintain\$3 adj fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:45
S30	16	S29 same clamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:45
S31	12	S3 and clad\$5 near5 polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:52
S32	1500	"385"/\$.ccls. and clad\$5 near5 polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:52
S33	1154	"385"/\$.ccls. and clad\$5 near3 polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:52

				· · · · · · · · · · · · · · · · · · ·		
S34	619	"385"/\$.ccls. and clad\$5 near polymer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:52
S35	3	"385"/\$.ccls. and clad\$5 near polymer same clamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:54
S36	1063	clad\$5 near5 polyimide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:54
S37	194	S36 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:54
S38	4	S37 and clamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 14:57
S39	138	clamp\$3 near3 (diverg\$3 taper\$3) same fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:17
S40	33	S39 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:19
S41	58	clamp near3 curved same fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:25
S42	9	S41 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:26
S43	2723	clamp\$3 near5 end near5 taper\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:41

			-			
S44	1	S3 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:41
S45	15	S43 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:43
S46	119	clamp\$3 and deform\$5 near5 clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:43
S47	24	clamp\$3 same deform\$5 near5 clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:46
S48	27	fiber same deformable near5 clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:48
S49	9	S48 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:47
S50	1840	fiber same (rigid brittle) near5 core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:48
S51	98	S50 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:48
S53	8	fiber same (rigid and brittle) near5 core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 16:44
S54	111	clamp\$3 same fiber same taper\$3 near5 inser\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 16:24

						
S55	24	S54 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 16:22
S56	49	clamp\$3 same fiber same taper\$3 near5 gradual\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 16:24
S57	8	S56 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 16:24
S58	218	fiber same clamp\$3 same uniform\$3 near3 pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 16:47
S64	. 20	S58 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:14
S65	187	silica near3 core same polymer near3 clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:15
S66	108	S65 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:18
S67	1	S65 and "385"/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:16
S68	0	S65 and "385"/136.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:16
S69	1	S65 same clamp\$3 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:16

S70	16	S65 same protect\$3 and "385"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:21
S71	3	fiber same clamp\$3 same clad\$5 near5 resilient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:21
S72	14	S3 and clamp\$3 same jaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	ON	2006/02/28 17:32
S73	8	S3 and clamp\$3 near5 (curv\$3 arc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 17:34
S74	6	S3 and clamp\$3 near5 circular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:24
S75	619	"385"/\$.ccls. and polymer near clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:24
S76	4	"385"/137.ccls. and polymer near clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:24
S77	0	"385".ccls. and polyimide near clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:25
S78	0	"385/\$".ccls. and polyimide near clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:25
S79	358	polyimide near clad\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:27

S80	1	S79 same clamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/02/28 18:25
S81	35	S79 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 18:26
S82	2	polyimide near clad\$5 near5 protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:45
S83	465	clamp\$3 same fiber same jaw same (curv\$3 arc\$4 circular\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:46
S84	13	S83 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:51
S85	1218	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:52
S86	0	S85 and clamp\$3 near5 (taper\$3 diverg\$3) near3 gradual\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:00
S87	1	"385"/\$.ccls. and clamp\$3 near5 (taper\$3 diverg\$3) near3 gradual\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:52
S88	89	"385"/\$.ccls. and clamp\$3 near5 (taper\$3 diverg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:52
S89 1	4	"385"/137.ccls. and clamp\$3 near5 (taper\$3 diverg\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:54

S90	6	"385"/137.ccls. and circular near3 clamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:55	
S91	0	S85 and clamp\$3 near5 (taper\$3 diverg\$3) near3 smooth\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:00	
S92	38	clamp\$3 near5 (taper\$3 diverg\$3) near3 smooth\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:58	
S93	0	S92 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 08:57	
S95	42	clamp\$3 near5 (taper\$3 diverg\$3) near3 gradual\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:00	
S96	1	S95 same fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:00	
S97	231	clamp\$3 near5 (taper\$3 diverg\$3) same fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:00	
S98	61	S97 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:00	
S99	2	S97 and "385"/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:12	
S10 0	2	@ad="19900615" and jordan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:14	

S10 1	33	jordan.in. and jacobs adj chuck	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 09:15
----------	----	---------------------------------	---	----	----	------------------

9/7/2006 1:48:43 PM C:\Documents and Settings\jblevins\My Documents\EAST\Workspaces\10519929.wsp